



TPI Europe Ltd
NEW PRODUCTS



LANIR-TEC LTD
18 Yitzhak Rabin St ;
Modiin 7174986, Israel; Modiin 7174986
T: 972-528474155
www.lanir-tec.com info@lanir-tec.com

Item No.	Item Name
----------	-----------

NEW for 2024

DC711 - Kit	Screened Combustion Analyser c/w Differential Temperature, Differential Pressure, A770 Temperature Sampling Probe, USB "C" Charger in A768 CarryCase
DC711 - Kit 1	Screened Combustion Analyser c/w Differential Temperature, Differential Pressure, A770 Temperature Sampling Probe, USB "C" Charger in A768 CarryCase & A741BT Printer
DC711-View Kit	As DC711 - Kit with Connectivity to FREE, subscription FREE View app
DC711-View Kit 1	As DC711 - View Kit with A741BT Printer
DC711-HCO	High CO Upgrade for DC711 or DC711-View
DC711-NO	NOx Upgrade for DC711 or DC711-View
ViewUp	Upgrade DC711 to DC711-View for connectivity to View app
A741BT	Bluetooth Printer for DC711 & View app
173a	TPI Digital Multimeter, Full Size Auto Ranging c/w 4,000 count & Segment Bar Graph Backlight Display
193a	TPI Digital Multimeter, Full Size True RMS, Auto Ranging Automotive Multimeter
285	Smart Digital Clampmeter with Connectivity to FREE, subscription FREE View app
287	Smart Digital Clampmeter with Connectivity to FREE, subscription FREE View app
9085-Ex	Intrinsically Safe ATEX approved Vibration & Bearing Wear Analyser with Instantaneous Temperature c/w IS Accelerometer & C-Trend III PC Software
9042K1	Android tablet with protective case, Ultra III app, Wireless accel, Wireless accel driver activation key, Carry case, no C-Trend II software
9042K2	Android tablet with protective case, Ultra III app, Wireless accel, Wireless accel driver activation key, Carry case, C-Trend II software with activation key
9043K1	Android tablet with protective case, Ultra III app, 9043 3 channel box, 9043 driver activation key, Wired accelerometers (2), Carry case, 505L tachometer, Balancing software
9043K2	As 9043K1 including C-Trend II software with activation key
9043K3	As 9043K2 PLUS Wireless sensor WA101) & Wireless accel driver activation key (WADAK)
9043UP	9042 upgrade to 9043 includes: 9043 III 3 channel box, 9043 driver activation key, Wired accelerometers (2), Carry case, 505L tachometer, Balancing software
WA101	Wireless accelerometer for use with Ultra III app (First time users must purchase part number WADAK wireless accelerometer driver activation key sold separately.)
WADAK	One time wireless accelerometer driver activation key. Use to activate wireless sensor capability in the Ultra III app.
9050	UltraVision Acoustic Imager

Smart Flue Gas Analysers, Smart Probes, Kits & Parts with Connectivity to FREE, subscription FREE View app

DC710	Smart Combustion Analyser c/w Differential Temperature & Universal USB Charger in White Box with Connectivity to FREE, subscription FREE View app
DC710C1	As DC710 + A770 Temperature Sampling Probe & A768 CarryCase with Connectivity to FREE, subscription FREE View app
DC710C2	As DC710C1 + SP620 Smart Pressure Meter with Connectivity to FREE, subscription FREE View app
DC710CPA1	As DC710C2 + CPA1 Probe Set (CPK3) & Pair Temperature Pipe Clamps (CK21M/Pair)
DC711-View Kit	Smart Screened FGA c/w Differential Temp., Differential Pressure, Temp. Sampling Probe, USB "C" Charger in A768 CarryCase with Connectivity to FREE, subscription FREE View app
DC711-View Kit 1	As DC711 - View Kit with A741BT Printer
DC711-HCO	High CO Upgrade for DC711 or DC711-View
DC711-NO	NOx Upgrade for DC711 or DC711-View
ViewUp	Upgrade DC711 to DC711-View for connectivity to View app
A741BT	Bluetooth Printer for DC711 & View app
BP1	TPI Branded Multi-Purpose Multi Tool Back Pack
BP1UP	Upgrade Price for TPI Branded Multi-Purpose Multi Tool Back Pack when purchased with an FGA Kit as replacement for Original CarryCase
SP1000	Smart Ambient CO2 Meter with Data logging feature c/w A1000SP Pouch
A1000SP	Pouch for SP1000
SP323	Smart Wireless Temperature Pipe Clamp with Data logging feature c/w A323SP Pouch
SP323-Pair	Smart Wireless Temperature Pipe Clamp with Data logging feature c/w A323SP Pouch - Pair
A323SP	Pouch for SP323
SP341	Smart Single Temperature Meter c/w A341SP Pouch
SP341C1	Smart Single Temperature Meter c/w A341SP Pouch & FK13M Immersion Probe
SP341C2	Smart Single Temperature Meter c/w A341SP Pouch & GK15M Air Probe
SP341LK	Legionnaires Temp Kit c/w SP341, FK13M & CK15M in A927 Zipper Case
A341SP	Pouch for SP341 & Probes
GK41M	Air probe for SP341
SP555	Smart Vane Anemometer c/w A555SP Pouch
A555SP	Pouch for SP555
SP565	Smart Hotwire Anemometer c/w A565SP Pouch
A565SP	Pouch for SP565
SP597	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch
SP597-Pair	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch - Pair
A597SP	Pouch for SP597
SP620	Smart Pressure Meter c/w A620SP Pouch
A620SP	Pouch for SP620
SP670	Smart Wireless High Pressure Refrigerant Probe c/w A670SP Pouch
SP670-Pair	Smart Wireless High Pressure Refrigerant Probe c/w A670SP Pouch - Pair
A670SP	Pouch for SP670
SP700	Smart Ambient CO Meter with Data logging feature c/w A700SP Pouch
A700SP	Pouch for SP700
A925	4 Probe Zipper Case with insert
A926	SP1000 Zipper Case with insert - Will also take the SP565 or SP620
A927	SP341 Zipper Case with insert - Will also take the FK13M, CK15M & GK16M Probes
A928	SP555 Zipper Case with insert
A929	SP565 Zipper Case with insert
A930	SP620 Zipper Case with insert - Has room for Pressure Tubing (not supplied)
A931	Refrigerant Charge Kit Zipper Case with insert
DC580	Airflow Meter Hot-wire & Vane Anemometer - Instrument Only
DC580C1	Airflow Meter Hot-wire & Vane Anemometer - c/w Hotwire Probe & Case
DC580C2	Airflow Meter Hot-wire & Vane Anemometer - c/w Vane Probe & Case
DC580C3	Airflow Meter Hot-wire & Vane Anemometer - c/w Hotwire & Vane Probe & Case
A580	Carry Case for DC580
A581	Hotwire Probe for DC580
A582	Vane Probe for DC580
SP620725L-Kit	Smart Tightness Test Kit comprising of SP620, 725L in A900 carry case
SPCHKIT	Refrigerant Charge Kit c/w 2 each SP323, 2 each SP670 in A931 carry case
SPCHKITDLX	Refrigerant Deluxe Charge Kit c/w 2 each SP323, 2 each SP670, 2 each SP597 in A931 carry case

Item No.	Item Name	2024 LIST
----------	-----------	-----------

Flue Gas Analyser Kits & Upgrades

709R-Kit	Combustion Analyser Kit c/w Differential Temperature & Pressure	
709R-Kit 1	As 709R-Kit + A740 Infra-Red Printer	
709R-Kit 1 OIL	As 709R-Kit + A740 Infra-Red Printer + A788 Smoke Pump & A773 Oil Filter	
709R-Kit 2	As 709R-Kit 1 + 2 x CK21M Temperature Pipe Clamps	
709R-Kit 3	As 709R-Kit 2 + CPA1 (CPK3) Cooker Probe Kits	
709R-Kit 4	As 709R-Kit 2 + 719 Combustible Leak Detector	
709R-Kit 5	As 709R-Kit 2 + CPA1 (CPK3) Cooker Probe Kits & 719 Combustible Leak Detector	
A740	Infra Red Printer for Combustion Analysers	
DC710	Smart Combustion Analyser c/w Differential Temperature & Universal USB Charger in White Box	
DC710C1	As DC710 + A770 Temperature Sampling Probe & A768 CarryCase	
DC710C2	As DC710C1 + SP620 Smart Pressure Meter	
DC710CPA1	As DC710C2 + 1 each CPA1 Probe Set (CPK3) & 2 each CK21M Temp. Pipe Clamps	
DC711 - Kit	Screened Combustion Analyser c/w Differential Temperature, Differential Pressure, A770 Temperature Sampling Probe, USB "C" Charger in A768 CarryCase	
DC711 - Kit 1	Screened Combustion Analyser c/w Differential Temperature, Differential Pressure, A770 Temperature Sampling Probe, USB "C" Charger in A768 CarryCase & A741BT Printer	
DC711-View Kit	As DC711 - Kit with Connectivity to FREE, subscription FREE View app	
DC711-View Kit 1	As DC711 - View Kit with A741BT Printer	
DC711-HCO	High CO Upgrade for DC711 or DC711-View	
DC711-NO	NOx Upgrade for DC711 or DC711-View	
ViewUp	Upgrade DC711 to DC711-View for connectivity to View app	
A741BT	Bluetooth Printer for DC711 & View app	
BP1	TPI Branded Multi-Purpose Multi Tool Back Pack	
BP1UP	Upgrade Price for TPI Branded Multi-Purpose Multi Tool Back Pack when purchased with an FGA Kit as replacement for Original CarryCase	

Condition Based Maintenance Vibration Analyser Kits & Accessories

9034	4 Channel Smart Vibration Monitor c/w Temperature & Tacho Inputs, 24VDC & 4-20mA Outputs, USB & Ethernet Connection	
9038	8 Channel Smart Vibration Monitor c/w Temperature & Tacho Inputs, 24VDC & 4-20mA Outputs, USB & Ethernet Connection	
A9014	Accelerometer with 2 Pin MS Connector	
A9019	5 metre cable with straight 2 Pin MS connector and flying leads	
A9028	10 metre cable with straight 2 Pin MS connector and flying leads	
9070	9070 Vibration Analyser	
9071	9071 Vibration Analyser c/w A9018, 2 pin Accelerometer with BNC Cable & Magnet	
9080 - Std	Vibration Analyser Kit c/w A9018, 2 pin Accel, BNC Cable & Magnet, A9081, Docking Cradle, A9087, Carry Case & restricted VibTrend Software for up to 10 assets	
9080 - Pro	Vibration Analyser Pro Kit - as Standard Kit + Licence for unrestricted VibTrend	
9080 - Plus	Vibration Analyser Plus Kit - as Pro Kit + A9086 Rubber Boot, A9082 Strobe & A9072 100mm Stinger	
9080K1	Vibration Analyser Kit - as Pro Kit + A9086 Rubber Boot, A9082 Strobe	
9080K2	Vibration Analyser Kit - as K1 + A9080 Bluetooth Ear Defenders & A9088 Carry Case for Ear Defenders	
9080-Ex	Intrinsically Safe ATEX approved 9080 Vibration Analyser c/w IS Accelerometer with 1.5 Metre BNC Cable, Magnet, VibTrend Software & Docking Cradle	
9084	Vibration Analyser Kit c/w Wireless Charging, Low Power Accel, Boot, Docking Cradle, Carry Case & unrestricted VibTrend PC Software licence	
9085	Vibration Analyser Kit c/w Instant Contact Temperature, Wireless Charging, Low Power Accel, Boot, Docking Cradle, Carry Case & C-Trend II PC Software licence	
9085-Ex	Intrinsically Safe ATEX approved 9085 c/w Instant Contact Temperature, Wireless Charging, Low Power Accel, Boot, Docking Cradle, Carry Case & C-Trend II PC Software licence	
9042K1	Android tablet with protective case, Ultra III app, Wireless accel, Wireless accel driver activation key, Carry case, no C-Trend II software	
9042K2	Android tablet with protective case, Ultra III app, Wireless accel, Wireless accel driver activation key, Carry case, C-Trend II software with activation key	
9043K1	Android tablet with protective case, Ultra III app, 9043 3 channel box, 9043 driver activation key, Wired accelerometers (2), Carry case, 505L tachometer, Balancing software	
9043K2	As 9043K1 including C-Trend II software with activation key	
9043K3	As 9043K2 PLUS Wireless sensor WA101 & Wireless accel driver activation key (WADAK)	
9043UP	9042 upgrade to 9043 includes: 9043 III 3 channel box, 9043 driver activation key, Wired accelerometers (2), Carry case, 505L tachometer, Balancing software	
WA101	Wireless accelerometer for use with Ultra III app (First time users must purchase part number WADAK wireless accelerometer driver activation key sold separately.)	
WADAK	One time wireless accelerometer driver activation key. Use to activate wireless sensor capability in the Ultra III app.	
9050	UltraVision Acoustic Imager	
505L	Laser Optical & Contact Tacho	
A9070	Carry Pouch for 9070	
A9080	Bluetooth Headphones / Ear Defenders	
A9088	Carry Pouch for A9080 Bluetooth Headphones / Ear Defenders	
A9081	9080 Docking Cradle	
A9086	9070/9071/9080 Protective Rubber Boot c/w Magnets	
A9087	9070/9071/9080 Carry Case	
A9012	Accelerometer with 1.5 Metre BNC Cable for 9041, 9080 or 9071	
A9013	Curly cable with straight 2 Pin MS connector and BNC Connector	
A9014	Accelerometer with 2 Pin MS Connector	
A9017	2 Pin Accelerometer (A9014) & Curly Cable (A9013)	
A9018	2 Pin Accelerometer (A9014) & Curly Cable (A9013) & Magnet (A9073)	
A9092	Intrinsically safe accelerometer with 2 pin connector	
A9093	Intrinsically Safe Accelerometer & Cable	
A9094	Curly cable for intrinsically safe accelerometer	
A9095	Protective Boot for 9080-Ex	
A9073	Accelerometer Magnet	
A9074	Zippered Pouch for 9070, 9071 and 9080	
A9075	Hard Carry Case for 9070, 9071, 9080 and 9080-Ex	
A9082	BNC Strobe/Flashlight	
A9072	100mm Stinger	
A9027	Tacho Cable for use with 505L Laser Tachometer	
A9007	RFID Tags (25 of)	
A9010	RFID Tags (100 of)	
A9100	Low Power 30mV/g Accelerometer with 5Pin M12 connector for 9084/9085	
A9101	Low Power 30mV/g Accel & Temp with 5Pin M12 connector for 9085	
A9102	Intrinsic Safe Low Power 30mV/g Accel with 5Pin M12 connector for 9085-Ex	
A9103	Intrinsic Safe Low Power 30mV/g Accel & Temp 5Pin M12 for 9085-Ex	
A9104	5Pin M12 female to female 1.5 m straight cable	
A9105	5Pin M12 female to female 1.5 m curly cable	

Condition Based Maintenance Vibration Analyser PC Software

A9084	VibTrend ~ 1 Licence	
	VibTrend ~ 2 - 5 Licenses (each)	
	VibTrend ~ 6 - 9 Licenses (each)	
	VibTrend ~ 10+ Licenses (each)	
A9091	C-Trend II ~ 1 Licence (To Unlock 9080/9034/9038 Capabilities)	

Item No.	Item Name	2024 LIST
----------	-----------	-----------

Current Clamp Meters & Clamp On Current Adaptors

265	Digital Clamp Meter, 4,000 Count Slim Jaw c/w Capacitance	
270	Digital Clamp Meter, 4,000 Count Slim Jaw c/w Temperature & Capacitance	
275	Digital Clamp Meter, True RMS, Slim Jaw c/w Temperature	
285	Smart Digital Clampmeter with Connectivity to FREE, subscription FREE View app	
287	Smart Digital Clampmeter with Connectivity to FREE, subscription FREE View app	
293	Digital Clamp Meter, 4,000 Count Slim Jaw c/w Temperature & Capacitance	
296	Digital Clamp Meter, True RMS, Slim Jaw c/w Temperature	
A251	0~400 Amps AC Clamp On Adaptor for DMMs	
A254	Low Current (10mA~60A) AC/DC Clamp On Adaptor	
A256	0~400 Amps AC/DC Clamp On Adaptor for DMMs	
A296	0~1,000 Amps AC/DC Clamp On Adaptor for DMMs	

Multimeters

100	EZ One Button, Auto Detecting, Palm Size	
120	TPI Digital Multimeter, Palm Size c/w 2K Ohms & Continuity	
122	TPI Digital Multimeter, Palm Size c/w millivolt Function for Plug-In Adaptors	
126	TPI Digital Multimeter, Auto Ranging, Palm Size c/w 400mA & 40Meg Ohms & Continuity	
133	TPI Digital Multimeter, Full Size c/w Data Hold Function	
135	TPI Digital Multimeter, Full Size c/w Capacitance Function	
153	TPI Digital Multimeter, Full Size Auto Ranging c/w MinMax & Data Hold Functions	
173a	TPI Digital Multimeter, Full Size Auto Ranging c/w 4,000 count & Segment Bar Graph Backlight Display	
183a	TPI Digital Multimeter, Full Size Auto Ranging c/w Triple Display & Backlight	
193a	TPI Digital Multimeter, Full Size True RMS, Auto Ranging Automotive Multimeter	
194	TPI Digital Multimeter, 50,000 Count True RMS, 600V CAT IV	
196	TPI Digital Multimeter, 50,000 Count c/w 0-24mA Process Control	

Manometers & Vacuum Gauge

SP620	Smart Pressure Meter c/w A620SP Pouch	
SP670	Smart Wireless High Pressure Refrigerant Probe c/w A670SP Pouch	
SP670-Pair	Smart Wireless High Pressure Refrigerant Probe c/w A670SP Pouch - Pair	
605	Digital Vacuum Gauge (25~12,000m in 7 international units)	
605BT	Smart Digital Vacuum Gauge (25~12,000m in 7 international units) with Connectivity to FREE, subscription FREE View app	
608	Single Input Digital Manometer in mBar (-150 to + 150 mBar)	
608BT	Single Input Digital Manometer in mBar (-150 to + 150 mBar) c/w Bluetooth Communication	
621	Dual Input Digital Manometer (2 Decimal Place Resolution) c/w Rubber Boot	
623	Dual Input High Resolution Digital Manometer (3 Decimal Place Resolution) c/w Rubber Boot	
635	Dual Input Tuffman up to 5psi (344 mBar) Digital Manometer	
645	Dual Input Tuffman up to 30psi (2 Bar) Digital Manometer	
665	Dual Input Tuffman up to 100psi (6.89 Bar) Digital Manometer c/w Data Logging	
665-Kit	As 665 c/w Docking Station & PC Software	
665L	Dual Input Tuffman up to 100psi (6.89 Bar) Digital Manometer for Liquids	
665L-Kit	As 665L c/w Docking Station & PC Software	
SP620725L-Kit	Smart Tightness Test Kit comprising of SP620, 725L in A900 carry case	
719608-Kit	Tightness Test Kit (Low Cost) comprising of 719 & 608 in A901 carry case	
725L608-Kit	Tightness Test Kit (Ultra Low Cost) comprising of 725L & 608 in A900 carry case	

Indoor Air Quality & Ambient Gas Detection

SP700	Smart Ambient CO Meter c/w A700SP Pouch	
SP1000	Smart Ambient CO2 Meter c/w A1000SP Pouch	
1010a	Handheld IAQ Monitor (CO2, Temperature & Humidity)	
SP555	Smart Vane Anemometer c/w A555SP Pouch	
SP565	Smart Hotwire Anemometer c/w A565SP Pouch	
SP597	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch	
SP597-Pair	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch - Pair	
DC580	Airflow Meter Hot-wire & Vane Anemometer - Instrument Only	
DC580C1	Airflow Meter Hot-wire & Vane Anemometer - c/w Hotwire Probe & Case	
DC580C2	Airflow Meter Hot-wire & Vane Anemometer - c/w Vane Probe & Case	
DC580C3	Airflow Meter Hot-wire & Vane Anemometer - c/w Hotwire & Vane Probe & Case	
719	Combustible Gas Leak Detector (30ppm Sensitivity)	
720b	Combustible Gas Leak Detector (10ppm Sensitivity)	
720b621-Kit	Tightness Test Kit comprising of 720b & 621 in A901 carry case	
721	Combustible Gas Leak Detector c/w LCD with Real ppm & LEL measuring facilities	
725a	Pocket Combustible Gas Leak Detector - 40ppm Sensitivity	
725L	Pocket Combustible Gas Leak Detector c/w FlexiNeck- 40ppm Sensitivity	
750a	Refrigerant Leak Detector, Thumbwheel Operation (0.2 oz/yr) c/w Soft Pouch	
753a	Refrigerant Leak Detector, Push Button Pumped (0.1 oz/yr) c/w Soft Pouch	
770	CO Single Gas Ambient Air Monitor (0 ~ 999 ppm)	
775	Combination CO & Combustible Gas Monitor (770/720b)	
777	Personal CO Monitor (0 ~ 1,000 ppm) with TWA & STEL Alarms	
GEK2021	Gas Essential Kit c/725L, 50, 312C & 368	

Pocket Thermometers

306C	Pocket Digital Thermometer, Penetration Tip, Water Resistant	
310C	Pocket Digital Thermometer, Penetration Tip, Data Hold	
312C	Pocket Digital Thermometer, Penetration Tip, Water Resistant (Field Cal Function)	
315C	Pocket Digital Thermometer, Penetration Tip, Water Resistant	
316C	Pocket Digital Thermometer, Penetration Tip, Water Resistant (Field Cal Function)	
317C	Pocket Digital Thermometer, Air Tip, Data Hold	
318C	Pocket Digital Thermometer, Chisel Tip, Water Resistant, Data Hold	
319C	Pocket Digital Thermometer, Contact Tip, Water Resistant, Data Hold	

Item No.	Item Name	2024 LIST
----------	-----------	-----------

Infra Red Non-Contact & Contact Combination Thermometers

368	Pocket Style, Close Focus, No Laser Guide, Non-Contact IR ONLY (-21 to 120 Deg C)	
381a	Gun Style c/w Laser Guide (-18 to 260 Deg C)	
381b	Gun Style c/w Circle Laser Guide (-18 to 260 Deg C)	
383a	Gun Style c/w Laser Guide (-35 to 560 Deg C)	
384a	High Temperature, Gun Style c/w Laser Guide (-18 to 1,000 Deg C)	
377BT	Bluetooth Enabled, Gun Style c/w Laser Guide & adjustable emissivity(-35 to 1,000 Deg C)	

Contact Thermometers

343	Dual Input Digital Thermometer "K" Type c/w Boot, Pouch & 2 x GK11M	
343/Kit 1	Flow & Return Temp Kit (as 343) c/w 2 x CK21M Pipe Clamps in A901 Carry Case	
343/Kit 2	Heavy Duty Temp Kit (as 343) c/w 2 x CK21M, 1 x FK12M & 1 x CK13M in A901 CarryCase	
343/Kit 3	Legionnaires Temp Kit (as 343) c/w 1 x FK11M & 1 x CK11M in A901 CarryCase	
343/Kit 3 Plus	Legionnaires Temp PLUS Kit (as 343) c/w 1 x FK11M & 1 x CK11M & 1 x CK21M in A901 CarryCase	
SP323	Smart Wireless Temperature Pipe Clamp c/w A323SP Pouch	
SP323-Pair	Smart Wireless Temperature Pipe Clamp c/w A323SP Pouch - Pair	
SP341	Smart Single Temperature Meter c/w A341SP Pouch	
SP341C1	Smart Single Temperature Meter c/w A341SP Pouch & FK13M Immersion Probe	
SP341C2	Smart Single Temperature Meter c/w A341SP Pouch & GK15M Air Probe	
SP341LK	Legionnaires Temp Kit c/w SP341, FK13M & CK15M in A927 Zipper Case	
SP597	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch	
SP597-Pair	Smart Wireless Temperature & Humidity Probe c/w A597SP Pouch - Pair	

Temperature Probes

CK11M	4" Stem , Standard "K" type Surface Probe	
CK12M	Right Angle Stem, Standard "K" Type Surface Probe	
CK13M	4" Stem , Heavy Duty "K" type Surface Probe	
CK14M	Right Angle Stem, Heavy Duty "K" Type Surface Probe	
CK15M	8" Stem , Heavy Duty "K" type Surface Probe for use with HK11M handle & SP341	
CK16M	8" Stem , Heavy Duty "K" type Surface Probe	
CK17M	45 Deg. Angle Stem, Standard "K" Type Surface Probe	
CK18M	"K" Type Floor Surface Temperature Probe	
CK21M	"K" Type Pipe Clamp Temperature Probe	
CK21M-Pair	"K" Type Pipe Clamp Temperature Probe (Pair)	
FK11M	4" Sealed Stem , Standard "K" type Immersion Probe	
FK12M	11" Sealed Stem , Standard "K" type Immersion Probe	
FK13M	8" Stem , Heavy Duty "K" type Immersion Probe for use with HK11M handle & SP341	
FK14M	8" Sealed Stem , Standard "K" type Immersion Probe	
FK21M	8" Sealed Stem , Standard "K" type Immersion Probe for Frozen Food	
FK23M	"K" Type Dishwasher Temperature Test Probe	
FK24M	Waterproof "K" Type Sealed Stem Immersion Probe c/w Ribbon Sensor	
GK11M	4' Fibreglass Covered Lead "K" Type Air Probe	
GK12M	As GK11M c/w Oven Clip	
GK13M	4' FDA Approved Insulated Lead "K" Type Air Probe	
GK14M	4" Stem , Standard "K" type Air Probe	
GK16M	8" Stem , Heavy Duty "K" type Air Probe for use with HK11M handle & SP341	
GK17M	8" Stem , Heavy Duty "K" type Air Probe	
GK18M	4' Armoured Lead c/w Perforation Tip "K" Type Air Probe	
GK19M	K Type Air Probe beaded tip probe with armoured cable	
GK41M	Air probe for SP341	
HK11M	Heavy Duty Handle for use with CK15M, FK13M & GK16M	

Speciality Testers

390a	Handheld Salt Meter c/w Supporting Spoon	
395	Handheld Refractometer c/w protective Carrycase	
397	pH Meter	
40	AC Safety Volt Check - Audible & Visual Indication (50 ~ 1000 VAC)	
50	AC Safety Volt Check - Audible & Visual Indication (50 ~ 1000 VAC)	
510	Irradiance Solar Meter	
85C3	Part "P" Electrical Loop Tester	

Test Leads

A034	Small Fully Insulated Crocodile Clips	
A036	Fused, Termination (GS38 - CAT III:1000V) Prod Tip Set	
A037	Standard (CAT III:1000V) Prod Tip Set	
A038	Hook Plunger Clip (Standard Socket Rear) Tip Set	
A039	Spade Terminal Tip Set	
A041	Silicone, 1.2 Metre Fused Test Set c/w Alligator Clips	
A052	Adapter to convert screw tip to modular tip	
A054	Sharp Steel Point Prod Tip Set	
A057	Back Probing (incorporating a spring steel) Prod Tip Set	
A058	Large Flanged Fully Insulated Crocodile Clips (CAT III:600V)	
A059	Insulated Piercing Prod Tip Set	
A060	PVC, 1.8 Metre Shielded Test Lead Set c/w Alligator Clips	
A065	PVC, 3 Metre Shielded Test Lead Set c/w Alligator Clips	
A066	Large Flanged Fully Insulated Crocodile Clips (CAT III:1000V)	
A067	Crocodile Plunger Clamp Grabber Clips	
A068	Safety Crocodile Clips	
A069	Plunger Clips	
A079	Silicone, 1.2 Metre (CAT III:1000V) Lead ONLY Set	
A080	Silicone, 1.2 Metre (CAT III:1000V, CAT IV:600V) Test Lead Set	
A081	As A082 except Fixed Shroud to Shutter Plug Lead ONLY Set	
A082	As A079 except Right Angled Lead ONLY Set	
A083	2 mm Fixed (CAT III:1000V) Fused Tip Set	
A084	Flanged Fused Crocodile Clip (CAT III:1000V, CAT IV:1000V) Set	
A085	As A080 c/w Alligator Clips	
A088	Silicone, 1.2 Metre Fused Probe Handle & Lead Assembly Set	
A089	Silicone, GS38 Compliant (CAT III:1000V) Fused Modular Kit	

Item No.	Item Name	2024 LIST
----------	-----------	-----------

Test Leads cont...

TLSHVACR1	HVAC/R Test Lead Kit comprising of A081, A067, A066, A057 & A054	
TLSIND1	Industrial Test Lead Kit comprising of A081, A067, A066, A057, A054 & A038	

Flue Gas Analyser Accessories

A125	Magnetic Boot Hook for FGAs	
A741BT	Bluetooth Printer for DC711 & View app	
A740	Infra Red Printer for Combustion Analysers	
A746	Paper Rolls for A741BT, A740 & A740BT (10 Pack)	
A763	Mini In-Line (Spring) Pump Protection Filter c/w 5 Spare Filters	
A765	Protective Rubber Boot for Combustion Analysers	
A766	Battery Charger for 709R, 717R & 716 Combustion Flue Gas Analysers	
A768	Carry Case for Combustion Analyser & SPV Kits	
A770	Temperature Sampling Probe	
A770-A	Angled Temperature Sampling Probe	
A773	Additional OIL Filter complete Assy for Combustion Analysers	
A774	Rechargeable Battery Pack for 709R, 712, 712BT & 714	
A788	Smoke Test Pump	
A796-D	Replacement Disc Lid Filter for A794/A795/A796	
A796-F5	Replacement Paper Filters (pack of 5) - 32mm for A796	
A796-F	Replacement Paper Filters (pack of 10) - 32mm for A796	
A796	Large Water Trap Filter Assy Complete c/w Disc Lid Filter	
A796-KG	FGA Consumables Pack - 2 X A796-D & 1 x A796-F	
A796-KO	FGA Consumables Pack - 1 x A773, 1 X A796-D & 1 x A796	
BP1	TPI Branded Multi-Purpose Multi Tool Back Pack	
BP1UP	Upgrade Price for TPI Branded Multi-Purpose Multi Tool Back Pack when purchased with an FGA Kit as replacement for Original CarryCase	
CPK3	Cooker Probe Set for FGA c/w Water Trap Bowl & Pouch	

Misc. Accessories

A130	30 Amp Current Shunt Adaptor for DMMs	
A312	Dual Input Temperature Adaptor for DMMs	
A604	Rubber Boot for Tuffman Manometers	
A609	Pressure Probe for 665L	
A612	Protective Rubber Boot for 621	
A614	Rubber Boot for Tuffman Manometers c/w Magnets	
A616	Soft Pouch for 608 Manometer	
A608BT	Splashproof Pouch for 608 & 608BT Manometer	
A620	Pressure (500psi) Adaptor for DMMs	
A630	Pressure (10,000psi) Adaptor for DMMs	
A665	DockStation & USB Cable & Software for 665	
A700	Soft Pouch for 719, 720b, 721, 750a & 775	
A712	Sensor Tip for 750a	
A721	Sensor Tip for 753a	
A739	Combustible Sensor for 719, 720b, 721 & 775	
A771	Carbon Monoxide Adaptor for DMMs	
A901	TPI Logo Small Multipurpose Soft Carry Case	
A904	Zippered Vinyl Single Instrument Case	
A905	Large Zipper Case	
	All Prices Quoted are ExWorks and Exclusive of VAT, Packing, Shipping & Insurance Costs	
	All Prices are effective as of 1st January 2024	